



PROWET PL-85

PROWET PL-85 is specially formulated wetting and oil removing auxiliary in concentrated form, which can be used in boiling, desizing, bleaching, carbonization and dyeing. The main characteristic is it is APEO, NPEO free and has extremely low foam.

CHARACTERISTICS

Composition	: Synergic combination of specially selected alkyl derivatives
Appearance	: Transparent, viscous liquid
PH	: $7,0 \pm 1,0$
Ionic char.	: Nonionic-slightly anionic
Solubility	: Dissolves in every percentage with water

USING CONDITIONS and APPLICATIONS

- **PROWET PL-85** has a unique formulation of well balanced anionic and nonionic substances.
- Since **PROWET PL-85** is resistant to NaOH bath up to 15° Be, in room temperature as well as in boiling temperature. It has a great advantage of versatility.
- **PROWET PL-85** is specially formulated to obtain extra low foaming in the process.
- **PROWET PL-85** is resistant to hard water and acid.
- **PROWET PL-85** can be utilized with peroxide, hypochlorite and chloride bleaching bath, in carbonization process, during the cotton dyeing, provide a good wetting and dispersing.
- **PROWET PL-85** has high hydrophilicity features.

According to the field of using, the recommended usage may vary between 0,5 and 2,0 g/l.

STORAGE CONDITIONS

Keep out of direct sunlight or freezing. It is stable for at least 6 months if stored in original packing and recommended storage conditions.